

# Anping Yihang Gablon & Fence Engineering Co., Ltd.

## Concertina Single Razor Wire



Concertina Single Razor Wire    Concertina Single Razor Wire    Concertina Single Razor Wire    Concertina Single Razor Wire

### Razor Blade Specification:

Reference Number	Blade Style	Thickness	Wire Dia	Barb Length	Barb Width	Barb spacing
BTO-10		0.50.05	2.50.1	101	131	251
BTO-12		0.50.05	2.50.1	121	151	251
BTO-18		0.50.05	2.50.1	181	151	351
BTO-22		0.50.05	2.50.1	221	151	361
BTO-28		0.50.05	2.5	28	15	461
BTO-30		0.50.05	2.5	30	18	461
CBT-65		0.60.05	2.50.1	652	211	1012

Barbed Tape Concertina (BTC); Barbed Tape Obstacle (BTO) Standard materials are either galvanized or stainless steel. Standard packages products are shown in the tables above, special specifications available on request.

### Barbed Tape Wire Specification:

Outside Diameter	No. of Loops	Standard Length per Coil	Type	Notes
450mm	33	8M	CBT-65	Single coil
500mm	41	10M	CBT-65	Single coil
700mm	41	10M	CBT-65	Single coil

960mm	53	13M	CBT-65	Single coil
500mm	102	16M	BTO-10.15.22	Cross type
600mm	86	14M	BTO-10.15.22	Cross type
700mm	72	12M	BTO-10.15.22	Cross type
800mm	64	10M	BTO-10.15.22	Cross type
960mm	52	9M	BTO-10.15.22	Cross type

